

国际药物管制公约合编

《经 1972 年议定书修正的
1961 年麻醉品单一公约》附表，
截至 2023 年 5 月 17 日



联合国
2023 年，纽约

ST/CND/1/Add.1/Rev.10

**《经 1972 年议定书修正的 1961 年麻醉品单一公约》附表，
截至 2023 年 5 月 17 日**

表一 所列药物清单

| | |
|----------------|--|
| 醋托啡 | 3- <i>O</i> -acetyltetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine |
| 乙酰阿法甲基芬太尼 | <i>N</i> -[1-(α -methylphenethyl)-4-piperidyl]acetanilide |
| 乙酰芬太尼 | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidinyl]acetamide |
| 醋美沙朵 | 3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 丙烯酰芬太尼（丙烯芬太尼） | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]prop-2-enamide |
| AH-7921 | 3,4-dichloro- <i>N</i> -{[1-(dimethylamino)cyclohexyl]methyl} benzamide |
| 阿芬太尼 | <i>N</i> -[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1 <i>H</i> -tetrazol-1-yl) ethyl]-4-(methoxymethyl)-4-piperidinyl]- <i>N</i> -phenylpropanamide |
| 烯丙罗定 | 3-allyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 阿醋美沙朵 | α -3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 阿法美罗定 | α -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 阿法美沙朵 | α -6-dimethylamino-4,4-diphenyl-3-heptanol |
| 阿法甲基芬太尼 | <i>N</i> -[1-(α -methylphenethyl)-4-piperidyl]propionanilide |
| 阿法甲基硫代芬太尼 | <i>N</i> -[1-[1-methyl-2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 阿法罗定 | α -1,3-dimethyl-4-phenyl-4-propionoxypiperidine |
| 阿尼利定 | 1- <i>p</i> -aminophenethyl-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 苯替啶 | 1-(2-benzyloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 苯吗啡 | 3-benzylmorphine |
| 倍醋美沙朵 | β -3-acetoxy-6-dimethylamino-4,4-diphenylheptane |
| 倍他羟基芬太尼 | <i>N</i> -[1-(β -hydroxyphenethyl)-4-piperidyl]propionanilide |
| 倍他羟基-3-甲基芬太尼 | <i>N</i> -[1-(β -hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide |
| 倍他美罗定 | β -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine |
| 倍他美沙朵 | β -6-dimethylamino-4,4-diphenyl-3-heptanol |
| 倍他罗定 | β -1,3-dimethyl-4-phenyl-4-propionoxypiperidine |
| 贝齐米特 | 1-(3-cyano-3,3-diphenylpropyl)-4-(2-oxo-3-propionyl-1-benzimidazoliny)piperidine |
| 溴啡 | 1-{1-[1-(4-bromophenyl)ethyl]-piperidin-4-yl}-1,3-dihydro-2 <i>H</i> -benzimidazol-2-one |
| 丁酰芬太尼 | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidinyl]butanamide |
| 大麻和大麻树脂与大麻浸膏和酊 | |

| | |
|---|---|
| 卡芬太尼 | methyl 1-(2-phenylethyl)-4-[phenyl(propanoyl)amino]piperidine-4-carboxylate |
| 氯尼他素 | 2-(<i>p</i> -chlorbenzyl)-1-diethylaminoethyl-5-nitrobenzimidazole |
| 古柯叶 | |
| 可卡因 | 苯甲酰爱冈宁甲脂 |
| 可多克辛 | dihydrocodeinone-6-carboxymethyloxime |
| 罂粟秆浓缩物 (罂粟秆生物碱经浓缩所得而供贸易之用的质料。)(“罂粟秆”系指罂粟收割后的所有部分 (籽除外)) | |
| 巴豆酰芬太尼 | (2 <i>E</i>)- <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]but-2-enamide |
| 环丙基芬太尼 | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]cyclopropanecarboxamide |
| 地索吗啡 | dihydrodesoxymorphine |
| 右吗拉胺 | (+)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine |
| 地恩丙胺 | <i>N</i> -[2-(methylphenethylamino)-propyl]propionanilide |
| 二乙噻丁 | 3-diethylamino-1,1-di-(2'-thienyl)-1-butene |
| 地芬诺辛 | 1-(3-cyano-3,3-diphenylpropyl)-4-phenylisonipectic acid |
| 二氢埃托啡 | 7,8-dihydro-7 α -[1-(<i>R</i>)-hydroxy-1-methylbutyl]-6,14- <i>endo</i> -ethanotetrahydrooripavine |
| 双氢吗啡 | |
| 地美沙朵 | 2-dimethylaminoethyl-1-ethoxy-1,1-diphenylacetate |
| 地美庚醇 | 6-dimethylamino-4,4-diphenyl-3-heptanol |
| 二甲噻丁 | 3-dimethylamino-1,1-di-(2'-thienyl)-1-butene |
| 吗苯丁酯 | ethyl-4-morpholino-2,2-diphenylbutyrate |
| 地芬诺酯 | 1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 地匹哌酮 | 4,4-diphenyl-6-piperidine-3-heptanone |
| 羟蒂巴酚 | 3,4-dimethoxy-17-methylmorphinan-6 β ,14-diol |
| 芽子碱, 其酯及可转换成芽子碱和可卡因的衍生物 | |
| Etazene | 2-[(4-ethoxyphenyl)methyl]- <i>N,N</i> -diethyl-1 <i>H</i> -benzimidazole-1-ethanamine |
| 乙甲噻丁 | 3-ethylmethylamino-1,1-di-(2'-thienyl)-1-butene |
| 依托尼秦 | 1-diethylaminoethyl-2- <i>p</i> -ethoxybenzyl-5-nitrobenzimidazole |
| Etonitazepyne | 2-[(4-ethoxyphenyl)methyl]-5-nitro-1-(2-pyrrolidin-1-ylethyl)-1 <i>H</i> -benzimidazole |
| 埃托啡 | tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine |
| 依托利定 | 1-[2-(2-hydroxyethoxy)-ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 芬太尼 | 1-phenethyl-4- <i>N</i> -propionylanilinopiperidine |
| 4-氟异丁基芬太尼 (4-FIBF, pFIBF) | <i>N</i> -(4-fluorophenyl)-2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamide |

| | |
|-------------------|--|
| 呋喃芬太尼 | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]furan-2-carboxamide |
| 呋替啶 | 1-(2-tetrahydrofurfuryloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 海洛因 | diacetylmorphine |
| 氢可酮 | dihydrocodeinone |
| 氢吗啡醇 | 14-hydroxydihydromorphine |
| 氢吗啡酮 | dihydromorphinone |
| 羟哌替啶 | 4- <i>m</i> -hydroxyphenyl-1-methylpiperidine-4-carboxylic acid ethyl ester |
| 异美沙酮 | 6-(dimethylamino)-5-methyl-4,4-diphenyl-3-hexanone |
| 异硝氮烯 | <i>N,N</i> -diethyl-2-(2-(4-isopropoxybenzyl)-5-nitro-1 <i>H</i> -benzo[<i>d</i>]imidazol-1-yl)ethan-1-amine |
| 凯托米酮 | 4- <i>m</i> -hydroxyphenyl-1-methyl-4-propionylpiperidine |
| 左美沙芬 ^a | (-)-3-methoxy- <i>N</i> -methylmorphinan |
| 左吗拉胺 | (-)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine |
| 左芬啡烷 | (-)-3-hydroxy- <i>N</i> -phenacylmorphinan |
| 左啡诺 ^a | (-)-3-hydroxy- <i>N</i> -methylmorphinan |
| 美他佐辛 | 2'-hydroxy-2,5,9-trimethyl-6,7-benzomorphan |
| 美沙酮 | 6-(dimethylamino)-4,4-diphenyl-3-heptanone |
| 美沙酮中间体 | 4-cyano-2-dimethylamino-4,4-diphenylbutane |
| 甲氧基乙酰芬太尼 | 2-methoxy- <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]acetamide |
| 2-甲基-AP-237 | 1-[2-methyl-4-(3-phenyl-2-propen-1-yl)-1-piperazinyl]-1-butanone |
| 甲地索啡 | 6-methyl- Δ^6 -deoxymorphine |
| 甲二氢吗啡 | 6-methyldihydromorphine |
| 3-甲基芬太尼 | <i>N</i> -(3-methyl-1-phenethyl-4-piperidyl)propionanilide |
| 3-甲基硫代芬太尼 | <i>N</i> -[3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 甲硝苯 | <i>N,N</i> -diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1 <i>H</i> -benzo[<i>d</i>]imidazol-1-yl)ethan-1-amine |
| 美托酮 | 5-methyldihydromorphinone |
| 吗拉胺中间体 | 2-methyl-3-morpholino-1,1-diphenylpropane carboxylic acid |
| 吗哌利定 | 1-(2-morpholinoethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 吗啡 | |
| 吗啡甲溴化物和其他五价氮吗啡衍生物 | |
| 吗啡- <i>N</i> -氧化物 | |
| 1-甲基-4-苯基-4-哌啶丙酸酯 | 1-methyl-4-phenyl-4-piperidinol propionate (ester) |

^a 右美沙芬 ((+)-3-methoxy-*N*-methylmorphinan) 及右啡烷 ((+)-3-hydroxy-*N*-methylmorphinan) 这两种异构体明确排除在本表之外。

| | |
|--------------------|---|
| MT-45 | 1-cyclohexyl-4-(1,2-diphenylethyl)piperazine |
| 麦罗啡 | myristylbenzylmorphine |
| 尼可吗啡 | 3,6-dinicotinylmorphine |
| 诺美沙朵 | (±)- α -3-acetoxy-6-methylamino-4,4-diphenylheptane |
| 去甲左啡诺 | (-)-3-hydroxymorphinan |
| 去甲美沙酮 | 6-(dimethylamino)-4,4-diphenyl-3-hexanone |
| 去甲吗啡 | demethylmorphine |
| 诺匹哌酮 | 4,4-diphenyl-6-piperidino-3-hexanone |
| 奥芬太尼 | <i>N</i> -(2-fluorophenyl)-2-methoxy- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]acetamide |
| 阿片 | |
| 奥列巴文 | 3- <i>O</i> -demethylthebaine or 6,7,8,14-tetrahydro-4,5- α -epoxy-6-methoxy-17-methylmorphinan-3-ol |
| 邻氟芬太尼 | <i>N</i> -(2-fluorophenyl)- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamide |
| 羟考酮 | 14-hydroxydihydrocodeinone |
| 羟吗啡酮 | 14-hydroxydihydromorphinone |
| 对氟丁酰芬太尼 | <i>N</i> -(4-fluorophenyl)- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]butanamide |
| 对氟代芬太尼 | 4'-fluoro- <i>N</i> -(1-phenethyl-4-piperidyl)propionanilide |
| 1-苯乙基-4-苯基-4-哌啶乙酸酯 | 1-phenethyl-4-phenyl-4-piperidinol acetate (ester) |
| 哌替啶 | 1-methyl-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 哌替啶中间体 A | 4-cyano-1-methyl-4-phenylpiperidine |
| 哌替啶中间体 B | 4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 哌替啶中间体 C | 1-methyl-4-phenylpiperidine-4-carboxylic acid |
| 苯吗庚酮 | 6-morpholino-4,4-diphenyl-3-heptanone |
| 非那丙胺 | <i>N</i> -(1-methyl-2-piperidinoethyl)propionanilide |
| 非那佐辛 | 2'-hydroxy-5,9-dimethyl-2-phenethyl-6,7-benzomorphan |
| 非诺啡烷 | 3-hydroxy- <i>N</i> -phenethylmorphinan |
| 苯哌利定 | 1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester |
| 匹米诺定 | 4-phenyl-1-(3-phenylaminopropyl)-piperidine-4-carboxylic acid ethyl ester |
| 哌肟米特 | 1-(3-cyano-3,3-diphenylpropyl)-4-(1-piperidino)piperidine-4-carboxylic acid amide |
| 普罗庚嗪 | 1,3-dimethyl-4-phenyl-4-propionoxyazacycloheptane |
| 丙哌利定 | 1-methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester |
| Protonitazene | <i>N,N</i> -diethyl-5-nitro-2-[(4-propoxyphenyl)methyl]-1H-benzimidazole-1-ethanamine |
| 消旋甲啡烷 | (±)-3-methoxy- <i>N</i> -methylmorphinan |

| | |
|-----------------|--|
| 消旋吗拉胺 | (±)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine |
| 消旋啡烷 | (±)-3-hydroxy- <i>N</i> -methylmorphinan |
| 瑞芬太尼 | 1-(2-methoxycarbonyl-ethyl)-4-(phenylpropionylamino)-piperidine-4-carboxylic acid methyl ester |
| 舒芬太尼 | <i>N</i> -[4-(methoxymethyl)-1-[2-(2-thienyl)-ethyl]-4-piperidyl]propionanilide |
| 四氢咪喃芬太尼 (THF-F) | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]oxolane-2-carboxamide |
| 醋氢可酮 | acetyldihydrocodeinone |
| 蒂巴因 | |
| 硫代芬太尼 | <i>N</i> -[1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 替利定 | (±)-ethyl- <i>trans</i> -2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate |
| 三甲利定 | 1,2,5-trimethyl-4-phenyl-4-propionoxypiperidine |
| U-47700 | 3,4-dichloro- <i>N</i> -(2-dimethylamino-cyclohexyl)- <i>N</i> -methyl-benzamide |
| 戊酰芬太尼 | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]pentanamide |

本表内药物在其特定化学名称下可能存在的异构体，但特别注明者除外。

本表内药物可能有的酯及醚，但见于另一附表者除外。

本表所列药物的盐类，包括上文所称的酯类、醚类及异构体可能存在的盐类。

表二所列药物清单

| | |
|--------|--|
| 醋氢可待因 | |
| 可待因 | 3-methylmorphine |
| 右丙氧芬 | α -(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-butanol propionate |
| 双氢可待因 | |
| 乙基吗啡 | 3-ethylmorphine |
| 尼可待因 | 6-nicotinylcodeine |
| 尼二氢可待因 | 6-nicotinyldihydrocodeine |
| 去甲可待因 | <i>N</i> -demethylcodeine |
| 福尔可定 | morpholinylethylmorphine |
| 丙吡胺 | <i>N</i> -(1-methyl-2-piperidinoethyl)- <i>N</i> -2-pyridylpropionamide |

本表内药物在其特定化学名称下可能存在的异构体，但特别注明者除外。

本表所列药物的盐类，包括上文所称的异构体可能存在的盐类。

表三所列制剂清单

1. 以下药物的制剂:

- 醋氢可待因
- 可待因
- 双氢可待因
- 乙基吗啡
- 尼可待因
- 尼二氢可待因
- 去甲可待因
- 福尔可定

以上制剂与其他一种或数种成分调配、每剂量单位药物含量不超过 100 毫克且其浓度不超过整个制剂的 2.5%。

2. 丙吡胺制剂，每剂量单位含丙吡胺不超过 100 毫克并且与至少等量的甲基纤维素相调配。
3. 右丙氧芬制剂，口服制剂，其每剂量单位含有不超过 135 毫克的右丙氧芬碱或其浓度不超过整个制剂的 2.5%，条件是这类制剂不含有根据 1971 年《精神药物公约》加以管制的任何物质。
4. 可卡因制剂，所含可卡因以可卡因碱计算不超过 0.1%；和阿片或吗啡制剂，所含吗啡以无水吗啡碱计算不超过 0.2%，且因与一种或数种其他成分调配，致使其中的药物不能以简便方法回收，或回收的份量不能构成对公众健康的危害。
5. 地芬诺辛制剂，每剂量单位含有不超过 0.5 毫克的地芬诺辛并含有至少相当于地芬诺辛剂量 5% 的硫酸颠茄碱。
6. 地芬诺酯制剂，每剂量单位含有以碱计算不超过 2.5 毫克的地芬诺酯并含有至少相当于地芬诺酯剂量 1% 的硫酸颠茄碱。
7. 复方阿片吐根散
 - 10%阿片粉
 - 10%吐根粉
 - 与
 - 80%不含任何药物的其他粉状成分
 - 充分混合。
8. 符合本表所列任一配方的制剂以及此项制剂与不含任何药物的原料的混合物。

表四所列药物清单

| | |
|--------------------|--|
| 醋托啡 | 3- <i>O</i> -acetyltetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine |
| 乙酰阿法甲基芬太尼 | <i>N</i> -[1-(α -methylphenethyl)-4-piperidyl]acetanilide |
| 乙酰芬太尼 | <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidinyl]acetamide |
| 阿法甲基芬太尼 | <i>N</i> -[1-(α -methylphenethyl)-4-piperidyl]propionanilide |
| 阿法甲基硫代芬太尼 | <i>N</i> -[1-[1-methyl-2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 倍他羟基-3-甲基芬太尼 | <i>N</i> -[1-(β -hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide |
| 倍他羟基芬太尼 | <i>N</i> -[1-(β -hydroxyphenethyl)-4-piperidyl]propionanilide |
| 卡芬太尼 | methyl 1-(2-phenylethyl)-4-[phenyl(propanoyl)amino]piperidine-4-carboxylate |
| 地索吗啡 | dihydrodesoxymorphine |
| 埃托啡 | tetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14- <i>endo</i> -ethenooripavine |
| 海洛因 | diacetylmorphine |
| 凯托米酮 | 4- <i>m</i> -hydroxyphenyl-1-methyl-4-propionylpiperidine |
| 3-甲基芬太尼 | <i>N</i> -(3-methyl-1-phenethyl-4-piperidyl)propionanilide |
| 3-甲基硫代芬太尼 | <i>N</i> -[3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |
| 1-甲基-4-苯基-4-哌啶丙酸酯 | 1-methyl-4-phenyl-4-piperidinol propionate (ester) |
| 对氟代芬太尼 | 4'-fluoro- <i>N</i> -(1-phenethyl-4-piperidyl)propionanilide |
| 1-苯乙基-4-苯基-4-哌啶乙酸酯 | 1-phenethyl-4-phenyl-4-piperidinol acetate (ester) |
| 硫代芬太尼 | <i>N</i> -[1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide |

本表所列药物可能形成的盐类。